

## PATENT

App. Ser. No.: 10/092,987  
Atty. Dkt. No. ROC920010332US1  
PS Ref. No.: IBMK10332.Y1

**IN THE CLAIMS:**

Please amend the claims as follows:

1. (Currently Amended) A method of providing programming assistance, comprising:

providing an integrated development environment configured to recommend optimizations for source code;

receiving a selected fragment of source code, wherein the source code fragment includes a source code statement that references a result of a structured query language statement (SQL);

retrieving the SQL structured query language (SQL) statement corresponding to the source code statement; and

presenting a user interacting with the integrated development environment with a recommendation for optimizing the retrieved SQL statement, relative to the source code statement.

2. (Original) The method of claim 1, wherein the recommendation comprises one of a recommended SQL statement and a textual spoken language recommendation.

3. (Original) The method of claim 1, further comprising displaying the recommendation.

4. (Original) The method of claim 2, further comprising displaying the corresponding SQL statement and the recommended SQL statement.

5. (Currently Amended) The method of claim 2, further comprising, prior to retrieving the corresponding SQL statement, determining whether the code portion fragment of source code can be modified to be processed more efficiently by substituting the corresponding SQL statement with the recommended SQL statement.

PATENT  
App. Ser. No.: 10/092,987  
Atty. Dkt. No. ROC920010332US1  
PS Ref. No.: IBMK10332.Y1

6. (Currently Amended) The method of claim 2, wherein the recommended SQL statement performs at least one function performed by the ~~code portion~~ fragment of source code.
7. (Original) The method of claim 2, further comprising, prior to generating the recommended SQL statement, retrieving a database type for providing a proper syntax for the recommended SQL statement.
8. (Currently Amended) The method of claim 1, wherein the ~~code portion~~ fragment of source code is configured to retrieve independent fields from a database.
9. (Currently Amended) The method of claim 1, wherein the ~~code portion~~ fragment of source code is in Java.
10. (Currently Amended) The method of claim 1, wherein retrieving the corresponding SQL statement comprises retrieving the corresponding SQL statement from a prior execution of the ~~code portion~~ fragment of source code.
11. (Original) The method of claim 1, wherein retrieving the corresponding SQL statement comprises retrieving the corresponding SQL statement from a repository of predefined SQL statements.
12. (Currently Amended) A computer-readable medium containing a program which, when executed by a processor, performs an operation for providing programming assistance for an integrated development environment, the operation comprising:
- receiving a selected fragment of source code, wherein the source code fragment includes a source code statement that references a result of a structured query language statement (SQL);
  - retrieving the ~~SQL structured query language (SQL)~~ statement corresponding to the source code statement; and
  - presenting a user interacting with the integrated development environment with a recommendation for optimizing the retrieved SQL statement, relative to the source code statement.

PATENT  
App. Ser. No.: 10/092,987  
Atty. Dkt. No. ROC920010332US1  
PS Ref. No.: IBMK10332.Y1

13. (Original) The computer-readable medium of claim 12, wherein the recommendation comprises one of a recommended SQL statement and a textual spoken language recommendation.
14. (Original) The computer-readable medium of claim 12, further comprising displaying the recommendation.
15. (Original) The computer-readable medium of claim 13, further comprising displaying the corresponding SQL statement and the recommended SQL statement.
16. (Currently Amended) The computer-readable medium of claim 13, further comprising, prior to retrieving the corresponding SQL statement, determining whether the ~~code portion~~ fragment of source code can be processed more efficiently by substituting the corresponding SQL statement with the recommended SQL statement.
17. (Currently Amended) The computer-readable medium of claim 13, wherein the ~~code portion~~ fragment of source code is configured to retrieve independent fields from a database.
18. (Currently Amended) A computer, comprising:  
a memory containing a programming assistance program for an integrated development environment; and  
a processor which, when executing the programming assistance program, performs an operation comprising:  
receiving a selected fragment of source code, wherein the source code fragment includes a source code statement that references a result of a structured query language statement (SQL);  
retrieving the SQL ~~structured query language (SQL)~~ statement corresponding to the source code statement; and  
presenting a user interacting with the integrated development environment with a recommendation for optimizing the retrieved SQL statement, relative to the source code statement.

## PATENT

App. Ser. No.: 10/092,987  
Atty. Dkt. No. ROC920010332US1  
PS Ref. No.: IBMK10332.Y1

19. (Original) The computer of claim 18, further comprising a display device and wherein the operation further comprises displaying the recommendation on the display device.
20. (Original) The computer of claim 18, wherein the recommendation comprises one of a recommended SQL statement and a textual spoken language recommendation.
21. (Original) The computer of claim 18, further comprising displaying the corresponding SQL statement and the recommended SQL statement.
22. (Currently Amended) The computer of claim 18, further comprising, prior to retrieving the corresponding SQL statement, determining whether the ~~code portion~~ fragment of source code can be processed more efficiently by substituting the corresponding SQL statement with the recommended SQL statement.
23. (Currently Amended) The computer of claim 18, wherein the ~~code portion~~ fragment of source code is configured to retrieve independent fields from a database.